2

ACCESSORIES + APPAREL

2021 LINEUP

THE RIGHT GEAR ALWAYS MATTERS

GENERAL

DELUXE (284 SEAT)

GENERAL 1000 DELUXE PREMIUM PLUS:



GENERAL

STAGE 1 AUDIO SYSTEM BY ROCKF ONVEX REAR VIEW MIRRO

SPORT ROOF

ELEVATE YOUR ADVENTURE

OFF-ROAD'S PREMIER FAMILY OF CROSSOVER SIDE-BY-SIDES. No matter which GENERAL you choose, you begin every adventure with the best performance, the greatest utility, and the most comfortable ride you can get in a side-by-side. When you customize with Polaris Engineered Accessories you have the confidence to take on any task or any trail.



FOX PODIUM X 2.0 OS3 S




CONTENTS

ACCESSORIES	06
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	16
HUNT	18
POLARIS NORTHSTAR COOLERS	20
RIDE COMMAND & AUDIO	22
LIGHTING	24
WHEELS & TIRES	26
WINCHES	34
PLOWS & TRACKS	35

PARTS & GARAGE	36
MAINTENANCE	36
OIL & LUBRICANTS	38
SERVICE PARTS	40
HD PARTS	42
VEHICLE CARE & TRAILERING	44

APPAREL & HELMETS	46
OUTERWEAR & PROTECTION	46
LIFESTYLE APPAREL & CAPS	52
CAMO & GIFTS	54



KEEP YOUR STANDARDS HIGH. WE DO.

DESIGNED TESTED



designed your vehicle.



vou ride with 100% confidence.





WE HOLD OUR PARTNERS TO THE SAME STANDARDS



WHEELS, TIRES & LIGHTING DESIGNED WITH POLARIS TO MAXIMIZE PERFORMANCE P. 25 & 26



A GLOBAL LEADER IN AUDIO INNOVATION, DESIGN & ENGINEERING P. 23



PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE P. 24





MAKING PRODUCTS FOR AVID SPORTSMEN SINCE 1943 P. 18

ENGINEERED TO TAKE ON THE ELEMENTS





WIND

BUILD YOUR CAB SYSTEM STARTING ON P. 08



COMFORT YOU HAVE TO EXPERIENCE TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.

POLARIS ENGINEERED Advantages

PROFILE TUBE Design

Contours built into the cage deliver a premium sealing surface.

PERFECT FIT, PERFECT SEAL

A 360° gasket seal provides our tightest-sealing cab.

Adapt to your needs and environment with exclusive tool-less, easy-on, easy-off Lock & Ride components.





EFFORTLESSLY ADD **LIGHTS, HEAT, WIPERS & AUDIO.**

A revolution in electrical accessory integration, the Polaris PULSE Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.

Look for $\Pr_{\text{rest}}^{\text{PULSE}}$ to identify Polaris PULSE ready accessories.

ELEVATE YOUR ADVENTURE

LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08 Windshield Wiper & Washer System: P. 08 LOCK & RIDE Bed Extender: P. 14 Polaris Northstar 30 QT Cooler: P. 20 LOCK & RIDE Spare Tire Carrier: P. 14 Pro Armor 33" Combo LED Light Bar: P. 25 Light Bar Harness: P. 25 Rear Sport Bumper: P. 13 4-Seat Extreme Kick-Out Rock Sliders: P. 13

BLAZE A NEW TRAIL

LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08 Sport Roof - Poly: P. 12 XL Fender Flares: P. 13 [NOTSHOWN] LOCK & RIDE Cargo Box: P. 15 RIGID SR-Series Combo Light Bar: P. 25 Pro Armor Wheel & Tire Set: P. 33 29" Mud XC & 14" Shackle - Matte Black

Winch: P. 34

PREPARE FOR THE HUNT

GENERAL


LOCK & FIDE Full Windshield - Glass: P. 08 (DOTSHOWN) Windshield Wiper & Washer System: P. 08 (DOTSHOWN) LOCK & FIDE Rear Panel - Glass: P. 09 Pro Armor 33" Combo LED Light Bar: P. 25 (NOTSHOWN) Polaris Pulse LED Light Bar Harness: P. 16 (NOTSHOWN) In addition to stock accessories



Premium Roof - Poly: P. 12 LOCK & RIDE Full Windshield - Glass: P. 08 Windshield Wiper & Washer System: P. 08 LOCK & RIDE Rear Panel - Glass: P. 09 Polaris Northstar 30 QT Cooler: P. 20

WINDSHIELDS

Keep the elements out and control air flow into the cab.



GLASS 🗵 POLY

• Lightweight, flexible, easy to store/remove


than regular poly windshields

• Tight seal keeps out rain and dust

• Hard Coat: 30x more scratch resistance

• Impact-resistant


• Superior optical clarity fauto Scratch resistant • Curved to fit, seals tight • Cold weather / heavy duty • Wiper ready (windshield only)







INSTALLATION











Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.



ADD A REAR PANEL TO REDUCE THE DUST SWIRL

REAR PANELS

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.





» 2881113 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

POLARIS ENGINEERED ADVANTAGES



AIRTIGHT **GASKET SEAL**

DQ.

RFAR PANELS



COOLERS

RIDE COMMAND & AUDIO

LIGHTING



WINCHES & PLOWS

LOCK & RIDI REAR PANEL - POLY

» 2881112 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

DOORS

COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.



REPLACE STOCK HALF DOORS

PREMIUM POLY FULL DOORS

• Impact and scratch-resistant tempered glass

PREMIUM

AND LINER

INTERIOR HANDLE

- Fully-sealed design keeps elements out for
- a premium in-cab environment Hinged window adjustability
- Soft-touch, easy-to-clean premium interior liner

2-SEAT

Six-way glass window adjustability

» 2883717 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

» 2883082 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21

Kit includes B-pillar cover seal

4-SEAT

Push-out windows

A PERFECT FIT FOR THE PERFECT SEAL

ADD UPPER DOORS TO STOCK HALF DOORS

ZIP WINDOW UPPER DOORS


• Durable, rugged canvas stitched over a robust steel frame

GENERAL

- Lightweight, UV-resistant construction
- Retention straps for increased strength
- Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

POLARIS ENGINEERED Advantages

10





» 2882548 POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '18-21



» 2883453 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '18-21



Protect yourself from the elements. The right roof shields you from the sun and driving rain.

VEHICLE & RIDER PROTECTION

Arm your POLARIS GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension.

A PERFECT FIT FOR THE PERFECT SEAL





KEEP MOISTURE MOVING

POLARIS ENGINEERED ADVANTAGES

ALUMINUM 🗵 POLY

- High protection strength Lower profile
- Sleek style
- Pre-existing mounting features • Liner ready
 - Lightweight

• Water run-off

2-SEAT

ROOF - ALUMINUM

» 2881105

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21



POLARIS GENERAL 1000 '16-21



SPORT ROOF - POLY

» 2883780 POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21



PREMIUM ROOF - POLY

» 2883801 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21

SPORT ROOF - POLY

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21

POLY ROOF LINER

2883805 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21 Compatible with Sport Roof - Poly (2883781), sold separately



REAR BUMPERS [NOT SHOWN]

SPORT

» 2884345

HMW A-ARM GUARDS NOT SHOWN

FRONT

» 2880274

20-21

16-21

FENDER **FLARES**

> XL TOP SELLER » 2884220

POLARIS GENERAL XP 1000/4 POLARIS GENERAL 1000/4 '16-21 Not compatible with Low Profile Rock Sliders POLARIS GENERAL 1000/4 Standard on GENERAL XP models

REAR

ROCK SLIDERS [NOT SHOWN] » 2880171 POLARIS GENERAL 1000 '16-21

LOW PROFILE » 2881102

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

POLARIS GENERAL 1000 '16-21 Not compatible with XL Fender Flares

EXTREME KICK-OUT

» 2-SEAT • 2881101 POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21 » 4-SEAT • 2881992

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21



EXPANSION ANCHOR MOUNTS

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME





INCLUDES PREMIUM ROOF I TNER

» 2883781

HIGH CLEARANCE A-ARM GUARDS

FRONT

» 2884221 POLARIS GENERAL XP 1000/4 '20-21

REAR

» 2884222

POLARIS GENERAL XP 1000/4 '20-21



SPORT LOW PROFILE

» 2881094

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

■SPORT UPPER

» 2881525

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Requires Sport Low Profile Front Bumper



ACCESSORIES

WINDSHIELDS & REAR PANELS

STORAGE, CAB COMFORT & HUNT

DLERS

6 AUDIO

STORAGE

LOCK & RIDE FALL AVAILABILITY REAR BED STORAGE RACK » 2885113

POLARIS GENERAL XP 1000/4 '20 POLARIS GENERAL 1000/4 '16-21 See P. 18 for more info

LOCK & RID FALL AVAILABILITY KOLPIN STRONGHOLD MOUNT - REAR BED STORAGE RACK

NEW

» 2885114 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 See P. 18 for more info



LOCK & RIDE SPARE TIRE CARRIER

» 2881529 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 FITS WHEEL UP TO 30"



BEHIND SEAT STORAGE BAG

» 2882164 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



LOCK & RIDE

» 2881547

BED EXTENDER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

LOCK & RIDE

» 2882144

TIP-DOWN HEADACHE RACK

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

CARGO BED MAT

» 2881933

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

IN-DASH STORAGE BAG

» 2882165 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



LOCK & RIDE CARGO BOX

LOCK & RIDE

» 2881527 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Includes all mounting hardware for secure installation D-RINGS

» 2881545 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21











NOTSHOWN FIRE EXTINGUISHER HOLDER

» 2882158

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Fits most 8.25 cm fire extinguishers (not included)





EASILY RECONFIGURE FOR ANY TASK OR ANY TRAIL





WINDSHIELDS & REAR PANELS

DOORS

ROOFS & PROTECTION

STORAGE, CAB COMFORT & HUNT

COOLERS

RIDE COMMAND & AUDIO

LIGHTING

CAB COMFORT



Audio Bracket (2885112) required to install heater on vehicles with Ride Command and audio,



8-VENT HEATER & DEFROST SYSTEM	TOP SELLER

Not Compatible with Rockford Fosgate Stage 4 Audio Kits

POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL 1000/4 '16-21

» 2881316

sold separately

» 2881090

WINDSHIELD WIPER & WASHER SYSTEM TOP SELLER POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

See P. 08 for windshields



CONVEX REAR VIEW MIRROR

» 2881540 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



FLOOR MATS

» 2881934 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21





ing maps Green light is perfect for avigating in the dark Blue light is ideal for night riding

MULTI-FUNCTION CAB LIGHT					
. I CD downo light provideo	. Dettery energied				

 LED dome light provides	 Battery-operated,	 Remove to use as	
white, red, green and	recharges when	flashlight in and	
blue lighting options	vehicle is on	around vehicle	

» 2884047

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21



POLARIS PULSE LED LIGHT BAR HARNESS

• Required to easily add electric components » 2883785 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

POLARIS ENGINEERED ADVANTAGES



Look for Minimum to identify Polaris PULSE ready accessories.







- To install accessories, simply plug the harness into the Polaris PULSE hub
- No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time





COOLERS

ACCESSORIES





WINCHES & PLOWS



PROTECTING YOUR ESSENTIAL **GEAR SINCE** 1943



KOLPIN STRONGHOLD GUN BOOTS

» XL TRANSPORT • 2882430* POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



KOLPIN STRONGHOLD AUTO-LATCH MOUNT

» 2884106 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



GENERAL

» 2882427* POLARIS GENERAL 1000/4 '16-21

KOLPIN STRONGHOLD POP-UP BLIND/ICE AUGER BOOT

POLARIS GENERAL XP 1000/4 '20-21

KOLPIN RHINO GRIPS IDEAL FOR BOWS & UNCASED GUNS

1000



POLARIS

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-2'





» 2881575 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

LOCK & RIDE RHINO GRIP XLR

» 2881574 • SINGLE POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



» 2884108 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to local laws and regulations regarding the requirements for the legal transport of firearms.

*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)

18

with rack installed » 2885113 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

NEW

REAR BED

STORAGE



STORAGE RACK

- Take more gear with 2 Kolpin Stronghold XL mounts and integrated MOLLE panels • 30 or 60 Qt. Polaris Coolers will still fit in bed

NEW

LOCK & RIDE FALL AVAILABILITY KOLPIN STRONGHOLD MOUNT - REAR BED STORAGE RACK

- Kolpin Stronghold mount for attaching gun boots or other Kolpin Stronghold items to a General Rear Rack
- » 2885114 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



POLARIS GENERAL XP 1000/4 '20-21, POLARIS GENERAL 1000/4 '16-21

RHINO GRIP PRO RUBBER STRAPS

» 2884109 POLARIS GENERAL XP 1000/4 '20-21, POLARIS GENERAL 1000/4 '16-21

Г



28, 57 & 99 LITER FEATURES

ComfortCarry

 $\langle Z \rangle$ TravelLock

EasyOut rain Syst



~~~~~~ IceLock Seal POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING -FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



57 LITER



» DESERT • 2881315



14 LITER

» GRAPHITE • 2883968



**19 LITER SOFTSIDE** » GRAPHITE • 2883390

99 LITER » GRAPHITE • 2883426 » DESERT • 2883392

» GRAPHITE • 2883425 » DESERT • 2881259

28 LITER » GRAPHITE • 2883424

# **ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO**

| COOLER ACCESSO | DRIES                                   | 99 LITER                          | 57 LITER                           | 28 LITER                          | 00                                                                    | N'T FORGET THESE ACCES                                                       | SORIES                                 |
|----------------|-----------------------------------------|-----------------------------------|------------------------------------|-----------------------------------|-----------------------------------------------------------------------|------------------------------------------------------------------------------|----------------------------------------|
|                | WIRE BASKET                             | 2883648                           | 2882185                            | 2882438                           | O POLAR                                                               | 0                                                                            |                                        |
|                | DIVIDERS<br>Doubles as<br>cutting board | 2883468<br>COMES WITH ONE DIVIDER | 2882184<br>COMES WITH TWO DIVIDERS | 2882186<br>COMES WITH ONE DIVIDER | BB7 mL<br><b>TUMBLERS</b><br>* 887 mL • 2883394<br>* 591 mL • 2883393 | LOCK & RIDE<br>QUICKSTRAP<br>» 2882187<br>ALL COOLERS AND<br>POLARIS GENERAL | BOTTLE OPE<br>» 2882183<br>ALL COOLERS |
|                | SEAT CUSHION                            | NOT AVAILABLE                     | 2882179                            | 2882507                           |                                                                       | CARGO BOXES                                                                  |                                        |
|                | WHEELS                                  | 2883967                           | 2882180                            | NOT AVAILABLE                     |                                                                       |                                                                              |                                        |

ACCESSORIES

STORAGE, CAB COMFORT & HUNT

RIDE COMMAND & AUDIO

LIGHTING

WHEELS & TIRES

WINCHES & PLOWS

OPENER

# RIDECOMMAND

- BUILT-IN GPS WITH TOPOGRAPHY MAPS TO SEE YOUR LOCATION AND PLAN YOUR RIDE
- MEDIA PLAYER WITH BUILT IN AM/FM TUNER FOR ALL YOUR FAVORITE MUSIC
- GROUP RIDE FOR BUDDY TRACKING, TO SEE YOUR FRIENDS ON THE MAP, TRACK AND SHARE RIDE STATS ON THE DISPLAY OR RIDE COMMAND MOBILE APP

# **REVOLUTIONIZING THE OFF-ROAD** EXPERIENCE

#### RIDE COMMAND 7" DISPLAY

- 7" High Bright Touchscreen visible
- Displays critical vehicle information for fuel level, coolant temp and battery voltage
- Media player with built in AM/FM tuner

» 2884072 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

#### RIDE COMMAND

- MOUNT KIT Mount Ride Command seamlessly into Enhanced Group Ride capability the dash for perfect fit and finish
- to track and share your ride Dedicated shortcut buttons for Comes with wiring harnesses needed quick access to features and accessory components

phone connectivity

visibility on and off trail

 Bluetooth and USB smart Includes front and rear camera, V2V. and GPS antenna Front camera support for better

#### » 2884283


POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '20-21

#### NEW AUDIO BRACKET

- Ilsed to mount audio amplifier for front and rear speakers when subwoofer is removed
- Required to install a heater on a vehicle with Ride Command and audio
- » 2885112 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '20-21
- DOWNLOAD THE RIDE COMMAND MOBILE APP App Store



# AUDIO KIT +





#### ADVANCED TECH

RIGID lights are driven by Aluminum PCB Smart Boards, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac UV protection polyester powdercoating.

#### LIGHT BAR TYPES




#### **SR-SERIES PRO**

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm

FLOOD

#### LIGHT BAR OPTIONS



| 240 m                 |                          |                               | Ţ                        | •       |                                  | •       |                               |                          | ļ                                  | Ļ                                |         |                               | - V                           |  |
|-----------------------|--------------------------|-------------------------------|--------------------------|---------|----------------------------------|---------|-------------------------------|--------------------------|------------------------------------|----------------------------------|---------|-------------------------------|-------------------------------|--|
|                       |                          |                               |                          |         |                                  |         |                               |                          |                                    |                                  |         |                               |                               |  |
| BRAND<br>SIZE<br>Type | RIGID<br>POD<br>d-series | RIGID<br>25.4 cm<br>SR-SERIES | RIGID<br>POD<br>D-SERIES |         | PRO ARMOR<br>25.4 cm<br>DUAL-ROW |         | RIGID<br>25.4 cm<br>SR-SERIES | RIGID<br>POD<br>D-SERIES | PRO ARMOR<br>27.9 cm<br>SINGLE-ROW | PRO ARMOR<br>25.4 cm<br>DUAL-ROW |         | RIGID<br>81.3 cm<br>SR-SERIES | RIGID<br>25.4 cm<br>SR-SERIES |  |
| AW LUMENS             | 4,752                    | 7,920                         | 3,168                    | 1,890   | 3,780                            | 1,400   | 7,920                         | 3,168                    | 1,890                              | 3,780                            | 1,400   | 20,064                        | 7,920                         |  |
| PN                    | 2883128                  | 2883122                       | 2883126                  | 2882313 | 2882311                          | 2882312 | 2883121                       | 2883127                  | 2882078                            | 2882075                          | 2882076 | 2884299                       | 2883123                       |  |
|                       | Comes in a pair          |                               | Comes in a pair          |         |                                  |         |                               | Comes in a pair          |                                    |                                  |         |                               |                               |  |

(25°/10°)

SPOT (10°)

SPOT

#### **BUILD YOUR** VISION

Consider the Optics, Angle 8 how you will use your vehicle to choose the right light or set of lights.


| OPTICS<br>Light angle     | ACCENT                                             | DRIVING<br>(45°)     | FLOOD<br>(25°)                           | SPOT<br>(10°)               | COMBO<br>(25°/10°)       |
|---------------------------|----------------------------------------------------|----------------------|------------------------------------------|-----------------------------|--------------------------|
| DRIVING SPEED             | All                                                | Slow                 | Medium                                   | Fast                        | Medium to fast           |
| BEAM                      | Diffused glow                                      | Extra-wide           | Wide/Shorter                             | Concentrated/Long           | Inner spot & outer flood |
| RECOMMENDED<br>Mounting   | Low/Wheel well                                     | All points           | Low &/or rear                            | High points                 | All points               |
| TERRAIN &<br>Riding Style | Added style &<br>personalization in<br>any terrain | All riding & utility | Wide-open terrain<br>or trails & utility | Trail & tight<br>conditions | All riding & utility     |

### ADD A HARNESS TO MOUNT YOUR LIGHTS

|                                           | LIGHT BAR SET-UPS                                 |                                                                           |                                                              |  |  |  |
|-------------------------------------------|---------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------------------------------|--|--|--|
| MODEL                                     | 1 LIGHT IN<br>1 LOCATION ON<br>1 SWITCH           | 2 LIGHTS IN<br>2 LOCATIONS ON<br>1 SWITCH                                 | 2 LIGHTS IN<br>2 LOCATIONS ON<br>2 SWITCHES                  |  |  |  |
| <i>201<del>9</del>-2020</i><br>All Models | POLARIS PULSE LED<br>LIGHT BAR HARNESS<br>2883785 | POLARIS PULSE LED<br>LIGHT BAR HARNESS<br>2883785<br>Y-HARNESS<br>2879860 | <b>POLARIS PULSE LED<br/>LIGHT BAR HARNESS (x</b><br>2883785 |  |  |  |

▲ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

▶ PULSE All RIGID and Pro Armor lights are Polaris PULSE ready.





**OPTICS** 

1200 m

960 m

720 m

480 m









Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot

EXCLUSIVE

OPTICS


**POLARIS ENGINEERED** 

ADVANTAGES

RIGID invests heavily in optical science and has

patented multiple optics and optics systems,

maximizing light output and efficiency.



MOUNTS PERFECTLY

Designed for your Polaris Engineered

bumper, roof or other mounting point



MAX PERFORMANCE

Validated to work as hard as

RUGGED

CONSTRUCTION

your machine does



DOESN'T OVERTAX

Trust it to work when you

need it to

Pro Armor lights are designed to be big and beefy with

COMBO

an aggressive style all their own, and housed in IP67

#### **DUAL-ROW LED LIGHT BARS**

The most spread and farthest illumination downrange. Easy to mount. Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm

Powerful, compact, low-profile light bars with sleek look.

marine-grade rated UV polyester powdercoating.





# PRO ARMOR.

#### MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.






#### SINGLE-ROW LED LIGHT BARS

Available in 27.9 cm, 83.8 cm & 101.6 cm

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot

CUBE LED LIGHTS



### ACCENT LIGHTING

ACCENT LIGHTS

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

| COLOR           | PN      |
|-----------------|---------|
| RED (SET OF 4)  | 2880500 |
| BLUE (SET OF 4) | 2880506 |



WINDSHIELDS & REAR PANELS

COOLERS

RIDE COMMAND & AUDIO

LIGHTING









# SUPERIOR Performance & durability







- Every tire is designed and constructed with longevity in mind
- 3,000+ mile rated 4,828 kilometers)


### PREMIUM PROTECTION

- Pro Armor makes tires with extra protection exactly where it's needed most-the sidewall
- Triple-belted sidewalls keep your tires more resistant so you can keep going

### TOUGHEST TIRES

- Higher ply ratings mean added protection
- Pro Armor builds 8 or 10-ply rated
- tires for higher puncture-resistance

### **KNOW YOUR TIRES**



| 27"       | 28"        | 29"         | 30"        |  |  |
|-----------|------------|-------------|------------|--|--|
| мир хс    | HARVESTER  | DUAL-THREAT | CRAWLER XG |  |  |
| HARVESTER | CRAWLER XR | MUD XC      | ATTACK 2.0 |  |  |
|           | ATTACK 2.0 | нр-к        | HARVESTER  |  |  |
|           | CRAWLER XG |             | CRAWLER XG |  |  |







| TIRES BY TERRAIN |             |             |        |           |            |                                |  |  |  |
|------------------|-------------|-------------|--------|-----------|------------|--------------------------------|--|--|--|
| TRAIL            | ROCK        | DESERT      | мир    | UTILITY   | 業業<br>SNOW | STORAGE, CAB<br>COMFORT & HUNT |  |  |  |
| CRAWLER XR       | CRAWLER XR  | CRAWLER XR  | миа хс | HARVESTER | ATTACK 2.0 | CAB<br>HUNT                    |  |  |  |
| CRAWLER XG       | CRAWLER XG  | CRAWLER XG  |        | PRESERVE  | ATTACK     |                                |  |  |  |
| мир хс           | DUAL-THREAT | ATTACK 2.0  |        | хр-к      | HARVESTER  | C                              |  |  |  |
| ATTACK 2.0       | ATTACK 2.0  | ATTACK      |        | HD-K      | ХД-К       | COOLERS                        |  |  |  |
| ATTACK           |             | DUAL-THREAT |        |           | НД-К       |                                |  |  |  |
| DUAL-THREAT      |             |             |        |           |            |                                |  |  |  |
| HARVESTER        |             |             |        |           |            | RIDE (                         |  |  |  |
| PRESERVE         |             |             |        |           |            | RIDE COMMAND<br>& AUDIO        |  |  |  |
| ХД-К             |             |             |        |           |            | ND                             |  |  |  |
| HD-K             |             |             |        |           |            |                                |  |  |  |

# WHEELS BY SIZE

| 40-SERIES<br>(7 TIRE OPTIONS) | ↑<br>15"<br>↓<br>50-SERIES<br>(6 TIRE OPTIONS) |
|-------------------------------|------------------------------------------------|
| 4201 (AMPLIFY)                | 5201 (CYCLONE)                                 |
| 4202 (BUCKLE)                 | 5202 (FLARE)                                   |
| 4301 (COMBAT)                 | 5301 (HALO)                                    |
| 4203 (REBLR)                  | 5203 (HEXLR)                                   |
| 4204 (SHACKLE)                | 5204 (WYDE)                                    |
| 4205 (SIXR)                   |                                                |
| D DUAL BEADLOCK               |                                                |

### TIRES BY SIZE

### **TIRES BY TERRAIN**

# **KNOW YOUR WHEELS**

**STEP 1: SELECT YOUR SERIES** 

**4** = 40-SERIES **5** = 50-SERIES


#### **STEP 2: CHOOSE YOUR LOAD RATING**

1 = <800 LBS 2 = 801 - 1,300 LBS 3 = 1,301 - 1,600+ LBS

#### **STEP 3: PICK YOUR STYLE**

OFFSET / BEADLOCK / COLOR

**INCREASE OFFSET FROM STOCK = NARROWER STANCE** DECREASE OFFSET FROM STOCK = WIDER STANCE



|     |                                 |       | DLFIN | WLIGHT       | NATINO | DELIG | NATINO        |
|-----|---------------------------------|-------|-------|--------------|--------|-------|---------------|
| 14" | <b>26" × 9" R14</b><br>5416340  | FRONT |       | <b>12</b> kg |        | 3     | <b>413</b> kg |
| 14" | <b>26" × 11" R14</b><br>5416341 | REAR  |       | 14 kg        | 10     |       | <b>499</b> kg |
| 14" | <b>29" × 9" R14</b><br>5416342  | FRONT | 16 mm | 14 kg        | 10     |       | <b>499</b> kg |
| 14" | <b>29" × 11" R14</b><br>5416343 | REAR  |       | <b>16</b> kg |        |       | <b>599</b> kg |
|     |                                 |       |       |              |        |       |               |






|     |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| 14" | <b>29" × 10" R14</b><br>5416946 | FRONT/<br>REAR |                | <b>18</b> kg   |               |                   | 630 kg         |
| 14" | <b>27" × 9" R14</b><br>5416947  | FRONT          | 30 mm          | 14 kg          | 10            | 3                 | <b>531</b> kg  |
| 14" | <b>27" × 11" R14</b><br>5416948 | REAR           |                | 15 kg          |               |                   | <b>599</b> kg  |

# 



|          |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|----------|---------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| 12"<br>• | <b>26" × 8" R12</b><br>5416396  | FRONT          |                | <b>11</b> kg   |               |                   | <b>388</b> kg  |
| 12"<br>+ | <b>26" × 10" R12</b><br>5415966 | REAR           |                | 15 kg          |               |                   | <b>615</b> kg  |
| 14"      | <b>27" × 10" R14</b><br>5415965 | FRONT/<br>REAR | 16 mm          | 15 kg          | 10            | 3                 | 599 kg         |
| 14"      | <b>28" × 10" R14</b><br>5416347 | FRONT/<br>REAR |                | 15 kg          |               |                   | <b>630</b> kg  |
| NFW 15   | <b>30" × 10" R15</b><br>5417529 | FRONT/<br>REAR |                | <b>17</b> kg   |               |                   | 599 kg         |



|     |                                 |       | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|-------|----------------|----------------|---------------|-------------------|----------------|
| 12° | <b>26" × 9" R12</b><br>5415756  | FRONT | 31.7 mm        | 13 kg          | 10            | 3/1               | <b>388</b> kg  |
| 12° | <b>26" × 11" R12</b><br>5415757 | REAR  | 31.7 mm        | 15 kg          | 10            | Aramid            | <b>499</b> kg  |



#### **PRO ARMOR PRESERVE**

Turf-friendly for areas where low-impact from tire tread is needed

• Rounded profile and special tread pattern to limit footprint

|          |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|----------|---------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| 12"<br>• | <b>26" × 8" R12</b><br>5416403  | FRONT          |                | <b>11</b> kg   |               |                   | 388 kg         |
| 12"      | <b>26" × 10" R12</b><br>5416402 | REAR           | 16 mm          | 13 kg          | 10            | 3                 | 599 kg         |
| 14"      | <b>27" × 10" R14</b><br>5416348 | FRONT/<br>REAR |                | 13 kg          |               |                   | <b>599</b> kg  |

UTILITY FEATURE

Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches

8,047 Kilometer Rated Long life and performance

Low Impact Tread Easy on soil

Turf-Friendly Easy on grass and farm yard

10-Ply Rated Higher ply ratings means added protection

Aramid Fiber Belt 5x times stronger than steel and lighter

Wide Range of Sizes For exactly how you want to use your machine



PICKING THE RIGHT UTILITY TIRE

HARVESTER

Х

Χ

Х

Х

30", 28", 27", 26"

PRESERVE

Х

Х

Х

Х

27", 26"

XD-К

Χ

Х

Х

26"

HD-K

X

Х

Х

29"





|     |                                 |                | TREAD<br>DEPTH | TIRE<br>WEIGHT | PLY<br>RATING | SIDEWALL<br>BELTS | LOAD<br>RATING |
|-----|---------------------------------|----------------|----------------|----------------|---------------|-------------------|----------------|
| 14" | <b>29" × 10" R14</b><br>5417507 | FRONT/<br>REAR | 31.75 mm       | <b>18</b> kg   | 10            | 3/1<br>Aramid     | <b>598</b> kg  |





### 40-SERIES

#### △ 4201 (AMPLIFY) ○

|             |         |          | NG: 408 kg   OFFSET: +4<br>NG: 590 kg   OFFSET: -9 |
|-------------|---------|----------|----------------------------------------------------|
| ACCENT:     | FRONT   | 14" × 7" | 1522956-266                                        |
|             | REAR    | 14" × 8" | 1522957-266                                        |
| MATTE BLACK | : FRONT | 14" × 7" | 1522956-458                                        |
|             | REAR    | 14" × 8" | 1522957-458                                        |

#### 6 4202 (BUCKLE) 0

| FRONT<br>REAR |        |               | NG: 408 kg   OFFSET: +4<br>NG: 590 kg   OFFSET: -9 |
|---------------|--------|---------------|----------------------------------------------------|
| ACCEN         | ſ:     | FRONT<br>REAR | 1522544-266<br>1522545-266                         |
| MATTE         | BLACK: | FRONT<br>REAR | 1522544-458<br>1522545-458                         |
|               |        |               |                                                    |

#### G 4301 BEADLOCK (COMBAT)

| FRONT/REAR<br><b>WEIGHT:</b> 7.3 kg | LOAD RATI                | I <b>NG:</b> 729 kj | g <b>  OFFSET:</b> +38 |
|-------------------------------------|--------------------------|---------------------|------------------------|
| ACCENT:<br>MATTE BLACK:             | FRONT/REAR<br>FRONT/REAR |                     |                        |

|   | 14" FORGED BEADLOCK RINGS |             |  |  |  |  |  |  |
|---|---------------------------|-------------|--|--|--|--|--|--|
|   | Only used on 4203 (REBLR) | PART #      |  |  |  |  |  |  |
| • | Voodoo Blue               | 1522244-619 |  |  |  |  |  |  |
| • | Machined                  | 1522244-266 |  |  |  |  |  |  |
|   |                           |             |  |  |  |  |  |  |

| C | White                                                    | 1522244-133 |
|---|----------------------------------------------------------|-------------|
|   | Indy Red                                                 | 1522244-293 |
| E | Orange Crush                                             | 1522244-589 |
| F | Matte Black -<br>Replacement<br>Only used on 5301 (HALO) | 1523146-458 |

#### 15" FORGED BEADLOCK RINGS PART #

Matte Black F 1523147-458

32

#### 9 4203 BEADLOCK (REBLR) 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9 MATTE BLACK: FRONT 14"×7" 1522238-458 REAR 14" × 8" 1522239-458

#### **9 4204 (SHACKLE)** 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9 ACCENT: FRONT 14" × 7" 1522546-266 14" × 8" 1522547-266 REAR MATTE BLACK: FRONT 14" × 7" 1522546-458

|                 | REAR           | 14 ^ 0     | 1022047400              |  |  |
|-----------------|----------------|------------|-------------------------|--|--|
| 🤋 4205 (SIXR) 🛇 |                |            |                         |  |  |
| FRONT           |                |            | NG: 408 kg   OFFSET: +4 |  |  |
| REAR            | WEIGHT: 5.7 kg | LOAD RATIN | NG: 590 kg   OFFSET: -9 |  |  |

|   | RONT  |            |               |          | NG: 408 kg   OFFSE1<br>NG: 590 kg   OFFSET |
|---|-------|------------|---------------|----------|--------------------------------------------|
| I | MATTE | BLACK:     | FRONT<br>REAR |          | 1521507-521<br>1521508-521                 |
| L | USTER | <b>?</b> : | FRONT         | 14" × 7" | 1521507-410                                |

14" × 8" 1521508-410 REAR

#### NEW G HD DUAL BEADLOCK

FRONT/REAR WEIGHT: 18.1 kg | LOAD RATING: 725.7 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 14" × 7" 1524022-458

# **50-SERIES**

FRONT/REAR

FRONT/REAR

FRONT/REAR

ACCENT:

FRONT/REAR

O LUG NUTS REQUIRED

4 = 40-SERIES

#### 5201 (CYCLONE)

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

🔕 5202 (FLARE)

#### 0 5204 (WYDE) 0

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55

MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4

MATTE BLACK: FRONT/REAR 15" × 7" 1523102-458

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38

MATTE BLACK: FRONT/REAR 15" × 7" 1522435-458

**KNOW YOUR WHEELS** 

**STEP 1: SELECT YOUR SERIES** 

5 = 50-SERIES

FRONT/REAR 15" × 7" 1523102-266

9 5203 BEADLOCK (HEXLR) 0

MATTE BLACK: FRONT/REAR 15" × 7" 1523266

9 5301 BEADLOCK (HALO) FRONT/REAR

MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

ACCENT: FRONT/REAR 15" × 7" 1523184-266

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38 ACCENT: FRONT/REAR 15" × 7" 1523282

**STEP 2: CHOOSE YOUR LOAD RATING** 5204 (WYDE) 1 = <800 LBS 2 = 801 - 1.300 LBS 3 = 1.301 - 1.600+ LBS Matte Black O

**STEP 3: PICK YOUR STYLE** OFFSET / BEADLOCK / COLOR **INCREASE OFFSET FROM STOCK = NARROWER STANCE** DECREASE OFFSET FROM STOCK = WIDER STANCE

### KNOW YOUR TERRAIN

ning lugs

UTILITY

HARVESTER

2882388

2882389

2882383

2882384

2882385

2882386

2882387

UTILITY ROCK

RAWI FR XG

228 k

2883188

2883187

2883186

2883185

2883190

2883189

2883182

2883183

NEW

HARVESTER

2885045

2885046

2885047

2885048

2885051

Tread patterns optimized Ideal for both hard pack МШО

MUD XC

4828 km

2884265

2884266

2884260

2884261

2884263

2884264

2884262

14"

40-SERIES

4201 (AMPLIFY)

4201 (AMPLIFY)

Matte Black 4202 (BUCKLE)

4202 (BUCKLE)

Matte Black O

4301 (COMBAT)

4301 (COMBAT)

Matte Black

BEADLOCKS PRE-MOUNTED

4203 (REBLR) Matte Black

4204 (SHACKLE)

Matte Black O

4205 (SIXR)

4205 (SIXR)

15

**50-SERIES** 

5201 (CYCLONE)

5201 (CYCLONE)

Matte Black

5202 (FLARE)

5202 (FLARE)

5301 (HALO)

BEADLOCKS PRE-MOUNTED

5301 (HALO)

Matte Black

BEADLOCKS PRE-MOUNTE

Matte Black

5203 (HEXLR)

O LUG NUTS REQUIRED

Matte Black

Accent

Accent

Accent

Matte Black O

Accent

Luster

O

0 4202 (SHACKLE) 2883151

0

0

0

Accent

Accent

Accent

for extreme traction

TRAIL

29"

4828 km

2883146

2883147

2883148

2883149

2883219

2883218

2883150

2883152

TRAIL

ATTACK 2.0

4828 km

2883160

2883159

2883158

2883157

2883162

2883161

2883154

2883155

DUAL-THREAT

MUD

MUD XC

4828 km

2884272

2884273

2884267

884268

2884270

2884271

2884269

ATTACK 2.0

1828 kr

2883169

2883168

2883167

2883166

2883171

2883170

2883163

2883164





• Flexible "grippy" tread Aggressive side bite

ACCESSORIES

# WHEEL & TIRE SETS

#### ROCK

1000

| HARVESTER<br>28"<br>8047 km | CRAWLER XG<br>30"<br>4828 km | CRAWLER XR<br>28"<br>4828 km |
|-----------------------------|------------------------------|------------------------------|
| 2883225                     | 2882396                      | 2882394                      |
| 2883226                     | 2882397                      | 2882395                      |
| 2883220                     | 2881560                      | 2881343                      |
| 2883221                     | 2881561                      | 2881344                      |
|                             | 2883211                      | 2883213                      |
|                             | 2883210                      | 2883212                      |
|                             |                              | 2881386                      |
| 2883222                     | 2881558                      | 2881355                      |
| 2883223                     | 2881559                      | 2881356                      |
|                             | 2881564                      | 2881371                      |
| 2883224                     | 2881563                      | 2881372                      |

| REPLACEMENT CAPS            |                           |             |  |  |  |
|-----------------------------|---------------------------|-------------|--|--|--|
| POLAR                       | IS 💽                      |             |  |  |  |
| LUSTER                      | ALL WHEELS<br>EXCEPT 5203 | 1521509-410 |  |  |  |
| MATTE<br>Black              | (HEXLR) & 5204<br>(WYDE)  | 1521509-521 |  |  |  |
| LUSTER                      |                           | 1522243-410 |  |  |  |
| MATTE<br>Black              | 5203 (HEXLR)              | 1522243-458 |  |  |  |
| NEW<br>HD<br>MATTE<br>BLACK | ALL<br>WHEELS             | 5457498-458 |  |  |  |
| PRO A                       | RMOR 💓                    | 6           |  |  |  |
| LUSTER                      | ALL WHEELS<br>EXCEPT 5203 | 5453209-410 |  |  |  |
| MATTE<br>Black              | (HEXLR) & 5204<br>(WYDE)  | 5453209-458 |  |  |  |
| MATTE                       | 5204 (WYDE)               | 1523063-458 |  |  |  |

| BLACK                          | (WTDE)       |             |  |
|--------------------------------|--------------|-------------|--|
| MATTE<br>Black                 | 5204 (WYDE)  | 1523063-458 |  |
| LUSTER                         | 5203 (HEXLR) | 1523015-410 |  |
| MATTE<br>Black                 | 5203 (HEXLR) | 1523015-458 |  |
| 12mm × 1.5 SPLINED<br>LUG NUTS |              |             |  |



2883177

2883176

2883181

2883180

2883173

2883174



COLBY VALVE SHORT ULTIMATE VALVE - 2 PACK

» 2883293



COLBY COMBO VALVE KIT (16 PACK)

- Includes 8 ultimate valves and 8 emergency valves
- » 2883294

### WAYS TO **FURCHASE**

**INDIVIDUAL WHEELS & TIRES** COMPLETE SETS AS LISTED

RIDE COMMA & AUDIO

LIGHTING

# WINCHES

# **PLOWS & TRACKS**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                    | ELAC                                                                           |                                              |                                              | GLACIER                                                                                                                                                                                                                                                                                                                                                          | R PRO HD GI                                                                                           | <b>IVES YOU</b><br>»Manual angle system standard                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AT MAX LOAD OPERATES F<br>SUBMERGEN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | BUILT TO WITHSTAND<br>-29°C TEMPERATUR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | es MILITARY<br>TESTED 6 APPROVED                                                                                   |                                                                                | J.                                           | -                                            | 43 cm                                                                                                                                                                                                                                                                                                                                                            | <b>168 cm POLV BLADE</b><br>Lest for corrosion resistan                                               | 43 cm<br>H3 cm<br><b>183 cm STEEL BLADE</b><br>BEST FOR BIG JOBS YEAR AFTER YEAR                                                                                                                                                                                                                                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | State of the state |                                                                                                                    | CREATE YOUR<br>PLOW SYSTEM<br>MODELS<br>POLARIS GENERAL                        | STEP 1<br>SELECT A MOUNT<br>MOUNT<br>2881763 | FRAME                                        | STEP 3<br>SELECT A LIFT METHOD<br>WINCH                                                                                                                                                                                                                                                                                                                          | STEP 4<br>SELECT A BLADE<br>BLADES                                                                    | STEP 5<br>SELECT ACCESSORIES<br>ACCESSORIES<br>183 cm Blade Snow Deflector 2858541                                                                                                                                                                                                                                                                                                                   |
| FEATURES<br>POLARIS ENGINEERED<br>ICHES COME WITH:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | HOOK WITH S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | HEAVY DUTY SERIES<br>ONNECTION TO POLARIS PULSE SYSTEM<br>STRAP<br>EARS & SEALED DRIVETRAIN<br>MANENT MAGNET MOTOR | POLARIS GENERAL<br>XP 1000/4<br>'20-21<br>POLARIS GENERAL<br>1000/4<br>'16-21  | 2001/03                                      | 2880260<br>Top Seller                        | Polaris PRO HD 2041 kg Winch           2883861           POLARIS GENERAL XP 1000/4 '20-21           POLARIS GENERAL 1000/4 '19-21           Hydraulic Plow Angle           2885102           POLARIS GENERAL 1000/4 '16-18           Hydraulic Plow Controller           2883391           POLARIS GENERAL 1000/4 '20-21           POLARIS GENERAL 1000/4 '16-21 | 2880270                                                                                               | 183 cm Blade Snow Deflector 2836341         183 cm HD Wear Bar 2879875         183 cm Wear Bar 2204976         168 cm Blade Snow Deflector 2879866         168 cm HD Wear Bar 2879867         Plow Marker 2872726         168 cm Blade Plow Shoe 2208864         Shear Pin 2205527         Replacement T Shear Pin 2204829         Extension for Tracks 2880267         Heavy Duty Deflector 2884160 |
| ST<br>TECHNOLOGY<br>D ROPE RECOVERY<br>Lat to FREE SPOOL (N)<br>the Winch Hook<br>al to PULL (L) for Winch Mode<br>al to ROPE RECOVERY (H)<br>Faster Rope Recovery                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | NOT AVAILABLE                                                                                                      | ELAC<br>PLOW SY                                                                |                                              |                                              |                                                                                                                                                                                                                                                                                                                                                                  | CIER HD GI<br>of poly or steel                                                                        | VES YOU<br>»Manual angle system standard<br>DURABLE BLADES                                                                                                                                                                                                                                                                                                                                           |
| STOP TECHNOLOGY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | WITH ALUMINUM FAIRLEAD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | ADD AUTO STOP UPGRADE<br>2881288<br>SYNTHETIC ROPE REQUIRED<br>WITH STEEL ROLLER FAIRLEAD                          |                                                                                | - «2                                         |                                              | 43 cm                                                                                                                                                                                                                                                                                                                                                            | EM POLY BLADE<br>CORROSION RESISTANCE<br>MOSTON RESISTANCE<br>MOSTEEL BLADE<br>G JOBS YEAR AFTER YEAR | Choose a steel blade for longevity<br>and increased rigidity or a<br>lightweight non-stick, poly blade<br>that's easier on plowing surfaces.                                                                                                                                                                                                                                                         |
| IUM SYNTHETIC ROPE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ADD SYNTHETIC ROPE                                                                                                 | CREATE YOUR<br>PLOW SYSTEM<br>MODELS<br>POLARIS GENERAL<br>XP 1000/4<br>'20-21 | STEP 1<br>SELECT A MOUNT<br>MOUNT<br>2883256 | STEP 2<br>SELECT A FRAME<br>FRAME<br>2882927 | STEP 3<br>SELECT A LIFT METHOD<br>WINCHES<br>Polaris HD 2041 kg Winch<br>2883860<br>POLARIS GENERAL XP 1000/4 '20-21<br>POLARIS GENERAL 1000/4 '19-21                                                                                                                                                                                                            | STEP 4<br>SELECT A BLADE<br>BLADES<br>168 cm Poly<br>2880269<br>168 cm Steel                          | STEP 5         SELECT ACCESSORIES         ACCESSORIES         168 cm Blade Snow Deflector 2879866         168 cm HD Wear Bar 2879868         168 cm Wear Bar 2879867         Plow Marker 2872726                                                                                                                                                                                                     |
| VIRELESS REMOTE TO CONTRACT TO CONTRACT. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ADD WIRELESS REMOTE<br>2881287                                                                                     | <b>POLARIS GENERAL</b><br><b>1000/4</b><br>'16-21                              |                                              |                                              |                                                                                                                                                                                                                                                                                                                                                                  | 2880268                                                                                               | 168 cm Plow Shoe 2208864<br>Shear Pin 2205527<br>Replacement T Shear Pin 2204829                                                                                                                                                                                                                                                                                                                     |
| MODEL<br>IS GENERAL XP 1000/4 '20-21<br>IS GENERAL 1000/4 '19-21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 2041 kg<br>2883861                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 2041 kg<br>2883860                                                                                                 | Prosed and a second                                                            |                                              | PROSP                                        | ECTOR PRO TRACK MOU                                                                                                                                                                                                                                                                                                                                              |                                                                                                       | PROSPECTOR PRO TRACK                                                                                                                                                                                                                                                                                                                                                                                 |

» 2880649 POLARIS GENERAL 1000/4 '16-21

# **GLACIER PRO HD GIVES YOU**







#### NEW FALLAVAILABILITY » 2885117

POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL XP 1000/4 '20-21 If using Glacier Pro Plow System, Track Plow Extension is required (2880267)

# FOR THE LIFE OF YOUR RIDE

# POLARIS ENGINEERS PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH

**AND DURABILITY.** We build our products so anyone with the right tools can maintain their vehicle from their own garage - and get them back on the trails where they belong.

#### MAINTENANCE TTP

#### **BREAK-IN PERIOD**

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use

#### **AIR FILTERS**

A clogged air filter can restrict air flow to the engine leading to reduced engine performance engine life or catastrophic failure.

#### **BRAKE PADS**

Maintaining and/or replacing brakes are critical to the safety and functionally of a vehicle. Brake pads should be checked for wear and oil or grease (petroleum products) contamination and brake discs should be checked for cracks, excessive corrosion or warping.

#### HALF SHAFT

Check for tear and punctures in the boot which can lead to CV joint wear that can contribute to axle failure.

#### BATTERIES

To ensure a battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a suitable battery charger. Consult your dealer to ensure the charger is compatible with your vehicle

250 HRS / 4023 km

MONTHS

ENGINE OIL:

TEST, CLEAN, &

REPLACE AS NEEDED

REPLACE AS NEEDED

GENERAL LUBRICATION:

DRIVE BELT:

CHECK FLUID LEVEL

INSPECT & ADJUST

ALL FITTINGS, PIVOTS, CABLES, ETC.

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

EXHAUST SYSTEM:

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

INSPECT & CLEAN

CHANGE

BATTERY:

# MAINTENANCE SCHEDULE

50 HRS / 800 km

MONTHS

EXHAUST SYSTEM:

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

ALL FITTINGS, PIVOTS, CABLES, ETC.

INSPECT & ADJUST

**INSPECT & CLEAN** 

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

LUBRICATION:

DRIVE BELT:

REPLACE AS NEEDED

GENERAL

25 HRS / 400 km



ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR 200 HRS / 3200 km



ENGINE OIL: CHANGE

BRAKE PADS & FLUID: **INSPECT & CLEAN** REPLACE BRAKE FLUID REPLACE AS NEEDED

> SPARK PLUGS: INSPECT REPLACE AS NEEDED

AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OF CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



ENGINE OIL: CHANGE BATTERY:

TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

> DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TIRES: INSPECT CONDITION & PRESSURE

INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

100 HRS / 1600 km

MONTHS

ENGINE OIL: CHANGE DRIVE BELT:

INSPECT & ADJUST REPLACE AS NEEDED TRANSMISSION

EXHAUST SYSTEM:

**INSPECT & CLEAN** 

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

FI UTD: CHANGE AIR FILTER:

INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM:

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

PARTS & GARAGE

# **DIL & LUBRICANTS**

#### DRIVE BELTS

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

#### BREAK-IN PERIOD

- Use lower gear (if available) while varying speeds and avoiding wide open throttle for 8-16 km
- If no low gear is available, vary at moderate speeds while avoiding wide open throttle for 80 km

#### **OUR INVESTMENT**

- 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- 1200+ vehicle validation hours Collaboration with nowertrain & clutch engineers

#### YOUR ADVANTAGE

- No clutch recalibration
- Less wear & tear due to heat
- Ensure maximum vehicle performance
- More time riding, less time wrenching
- Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

#### **OIL FILTERS**

Change oil filters with every oil change to provide the best engine protection and keep the engine operating at peak performance

#### FOLLOW RECOMMENDED SERVICE. INTERVALS IN THE OWNER'S MANUAL

300 HRS / 4828 km



ENGINE OIL: CHANGE

AIR FILTER: INSPECT & REPLACE AS NEEDED

> GEARCASE & TRANSMISSION: REPLACE FLUIDS

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

CHECK YOUR **OWNER'S MANUAL** FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-SPECIFIC TIMING



# SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performanceare the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

#### PS-4 FULL-SYNTHETIC OIL

 PS-4 is optimal for ambient operating temperatures of -40° C to 38° C 1L•2877263 4L·2877264 25L·2877868 60 L • 502338 200 L • 2878003

#### PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

• PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 53° C 1L·2879037 4L·2879251 251 • 2879252 60 L • 2879003 200 L • 2879038

#### **PS-4 OIL CHANGE KIT**

 Contains the correct amount of oil for your vehicle and correct oil filter » 2202166 SINGLE 570 TWIN 600 TWIN 700 TWIN 800 » 2879323 RANGER/RZR 900/1000 » 2880913 POLARIS ACE/ETX 325 » 2877473 330500 SPORTSMAN 550/850/1000

WHAT COUNTS IN OIL TESTING: 1. Does it protect the engine at high temperatures? 2. Does it keep the engine free from carbon and buildup? 3. Does the oil hold its viscosity over time?

#### ENGINE CHECKPOINTS

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

**P**CLARIS

ENGINEERED PARTS

FOR THE LIFE OF YOUR RIDE **ONLY THE BEST WILL DO** 

To create the best oil for any terrain, we invest

in rigorous testing to ensure our oil delivers the

consistency and performance you demand. The

results are Polaris Engineered Lubricants that

are tested and perfected to deliver excellent

total engine protection for the life of your ride.

& LUBRICANTS

RING LANDS: Poor oxidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of nower, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

#### OIL DEVELOPMENT



TESTING



KILOMETERS

18+

MONTHS

FIELD TESTING

# **ENGINEERED TO MAXIMIZE** THE LIFE OF YOUR RIDE

All Polaris fluids-from anti-freeze to brake fluid-are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.



Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.



### FUEL STABILIZER

Fuel Stabilizer prevent stabilizes fuel for up to 2 years. Dualidant formula protects against gun and varnish for easy starting » 125 mL • 502100





# ANCI

» 250 mL • 502081

onsistent. positive braking.

DOT 4 BRAKE FLUID

Polaris DOT 4 Brake Fluid is a high-quality brake fluid

designed for use in Polaris hydraulic brakes. Superior

high-temp characteristics plus anti-corrosive additives

extend the life of brake system components and provide

# ANTI-FREEZE

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components, eliminate scaling, and maximize cooling system

- » 1 L 502103
- » 25 L 502271
- » 206 L 502091

#### AGL



A proprietary blend of additives designed to optimize Polaris" ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or high heat environr

- » 1 L 502080
- » 200 L 502151
- » 25 L 502152

#### DEMAND DRIVE FLUID

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and note positive engagement

- » 11 502094
- 200 L 502264
- 251 502267



» 25 L • 502268

FLUID

» 202 L • 502266 SPORTSMAN, RANGER, RZR ANGLE DRIVE GEAR CASE SYSTEMS



PREMIUM GAS SHOCK OIL

» 1 L • 502098



ALL-SEASON GREASE TUBE

39

» 400 g • 502068

# **SERVICE** PARTS

# Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



# FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.

# DRIVE BE

# POLARIS ENGINEERED **DRIVE BELTS**

# **TESTED, PERFECTED**

We test each belt on the intended vehicle - we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

#### OUR INVESTMENT

- 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development
- (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

**OUR INVESTMENTS ENSURE POLARIS BELTS** OUTPERFORM YOUR EXPECTATIONS.

**OVER** 

100,000 PARTS

AVAILABLE!





### YOUR ADVANTAGE

- No clutch recalibration
- Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching




PARTS & GARAGE

MAINTENANCE

OIL & LUBRICANTS

HD PARTS

VEHICLE CARE & TRAILERING



All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts.

Engineered & designed for:


- Greater durability
- Enhanced performance
- Greater wear & tear capabilities
- All weather conditions



#### NEW WHEELS & TIRES

Class leading durability for off-road performance and traction for confident driving in extreme conditions

- » 1524022-458 · HD WHEEL 14x7 (SHOWN)
- » 5417507 PRO ARMOR HD-K 29x10R14 (SHOW
- » 5457498-458 · HD WHEEL CENTER CAP (SHOWN)
- » 5415756 PRO ARMOR XD-K FRONT
- » 5415757 PRO ARMOR XD-K REAR



\*Claims made based off testing and performance of Polaris HD Parts against standard OEM parts made by Polaris and competitor brands under normal use. vehicle compatibility, installation, and maintenance, please contact your authorized Polaris ORV dealer.



WATER

Fully sealed for added protection against intrusions. Made of a higher grade steel for extended life in extreme conditions.

| ATION         | OE      | H D HEAVY<br>DUTY<br>PARTS |  |  |  |
|---------------|---------|----------------------------|--|--|--|
| WHEEL<br>Ring | 3514924 | 3515090                    |  |  |  |
| WHEEL<br>Ring | 9914954 | 2010000                    |  |  |  |



Engineered to provide longer life and better stopping power while riding in extreme conditions.



EXTREME COLD



EXTREME HEAT UP TO 54º C



HEAVY PAYLOADS



MAINTENANCE

OIL & LUBRICANTS

SERVICE PARTS

VEHICLE CARE & TRAILERING

# CV BOOT REPAIR KIT

- A quick trail side fix to increase trail time
- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- Universal fit works as a temporary fix for most powersports axles
- All components fit inside the cone, and a cover is provided for compact durable storage
- · Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations



UTV TRAIL BOOT ONLY

FIX ON THE GO | TEMPORARY COVERAGE

- » 2830527
- ATV » CV REPAIR KIT 2830528 » TRAIL BOOT ONLY 2830529







#### CALIBER RAMP PRO

- Designed for ATVs and UTVs up to 127 cm wide
- Folding sides for easy transportation & storing

#### ALUMINUM ARCHED LOADING RAMPS » 193 cm × 30.5 cm • 907 kg • 2875384

- » 224 cm × 30.5 cm 1361 kg 2875386 Integrated grip glides for ultimate traction
- » 132 cm × 229 cm 2884576

HITCHES\_

3:1 HITCHES VERSATILE 3 IN 1 FUNCTIONALITY Geocoe BALL -– ноок DIN Removable ball • Ball, pin and hook design

• Durable, rust resistant steel with black powdercoated finish

# • HD 1.6 cm pin and clip





HITCH WITH 5 cm BALL

- » 5 cm x 5 cm RECEIVER 2830522 » 3 cm x 3 cm RECEIVER
  - 4.8 cm replacement ball for hitch Designed to work with 3:1 Hitch » 2830524



2830523





» 5 cm RECEIVER TONGUE 2875320 » FRONT HITCH RECEIVER 2878846


» 4.8 cm BALL • 2877602 » 5 cm BALL • 2877603

#### COVERS



#### TRAILERABLE COVER BY POLARIS

» 2-SEAT • 2881841 POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21 » 4-SEAT · 2881787 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21



Items shown are

contained inside cone

HOW TO INSTALL

Remove wheel and axle nut

Remove brake caliper, hub, tie rod, Remove old boot & clean joint. & upper & lower ball ioints.

Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package & install clamns for outer boot instructions

Empty the bag of grease into the Reassemble tie rod, ball joints, brake CV joint/boot, clean sealing points caliper, axle nut, tire & wheel.

Refer to your service manual for further instructions and torque specifications. \*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair

# **KEEP IT CLEAN**

#### CLEAN

**ALL-PURPOSE CLEANER** 

• Professional cleaner, which is formulated with a low pH-value. The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber, plastic and painted surfaces. The formulation is biodegradable

» 500 mL • 502309

#### SHINE

#### **INSTANT SHINE & DETAILER**

 The INSTANT SHINE AND DETAILER is developed for cleaning action without water. Removes insects, dust and dirt with almost no effort. Applicable for plastics, visors, windscreens, paint and metal. The wipe and shine formulation makes surfaces shine, works water repellent and also has an antistatic effect. Perfect for customers living in urban areas with no access to water, for bike trips or showroom bikes.

» 500 mL • 502303







#### LIGHTWEIGHT TRI-FOLD RAMPS

- Ramp folds up for transport
- Capacity for up to 680.7 kg
- Safety straps included
- » 183 cm × 130 cm 2875385
- » 208 cm × 130 cm 2875860



#### FOLDING ALUMINUM ARCHED RAMPS

- Ramp folds up for transport
- Capacity up to 1361 kg
- Safety straps included
- » 224 cm × 30.5 cm 2875387

**MAINTEN ANCE** 

### STRAPS & ROPES



#### RECOVERY STRAP

- 5 cm x 9.1 m (8165 kg)
- Comes with carry bag
- » 2884033



#### RATCHET STRAP

- 3.8 cm x 4.6 m straps, 2 Paci
- Heavy duty webbing
- 2495 kg maximum load, 831 kg working load
- » 2884031



#### RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps
- Heavy duty webbing, floating D-rings double J-hooks
- 4536 kg maximum load 1497 kg working load
- » 2884032



#### SHOCK STRAPS

- 3.8 cm 1361 kg breaking strength
- Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295



#### POLARIS SxS CAMO FIELD COVER

#### » 2882160

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

H

PARTS



# **COOLING SHIRTS**

MEN'S LONG SLEEVE COOLING SHIRT S-3XL | 2860638

G

coolcore



Cooling fabric designed with sun protection in mind. Our chemical-free fabric Coolcore reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest attainable, blocking 98% of harmful UV rays.







NAVY/PTN

**JERSEY** | 2860649

**GLOVE** | 2860644





GLOVE | 2860641



RED

**JERSEY** | 2860650

**GLOVE** | 2860645

BLUE/LTME **JERSEY** | 2860647 GLOVE | 2860642



MULTICOLOR JERSEY | 2860648 **GLOVE** | 2860643

YOUTH JERSEY S-XL MULTICOLOR | 2860652 BLUE | 2860651



S-3XI

· Adjustable wrist closure for a custom fit

• Silicon finger grips and neoprene knuckle protection

# OUTERWEAR BUILT TO WORK HARD **S PLAY HARD**



SHORT SLEEVE COOLING SHIRTS MEN'S WOMEN'S S-3XL | 2860634 S-3XL | 2860636





RAIN JACKET GRAY S-3XL | 2869527

RAIN PANTS GRAY S-3XL | 2869528

- 100% waterproof lightweight and packable nylon
- YKK Zippers
- Rain jacket has removable hood







**RED/BLACK** XS-4XL 2861470

# [ALTITUDE]



SHELL

WEIGHT

Strong, lightweight construction

of carbon fiber or fiber glass

• Composite as low as 1,260g

• Carbon fiber as low as 1,150g



CARBON FIBER BLACK/LIME XS-4XL | 2861473

Magnetic Fidlock chin-strap technology

and integrated GoPro mount

• DOT- and ECE 22.05-approved



GOGGLES BLACK RED 2868670 2868671 2868667

CE

### KINGPIN 509 DIRT GOGGLE

**509 ALTITUDE 2.0 HELMET** 

Lightweight Design, performance-infused style and features with all-day comfort

FEATURES

flow

• Superior fit for all-day comfort

seal with 509 goggles

• Removable Pro Series breath box

provides excellent ventilation and air

• One-piece eye-port creates draft-free

#### Premium Materials, attractive price

#### FEATURES

• Oversized spherical lens delivers optimal peripheral vision

- Metal tear off posts provide strength and durability
- Quick-change technology allows you to run the best lens tint for conditions





XS-2XL 2861558

BLACK XS-2XL 2861557 E

# TENACITY 4.0 HELMET

#### Combination of modern style and premium protection with incredible value

| SHELL                                                                                                   | FEATURES                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul> <li>Shock-resistant, injection-molded<br/>thermoplastic</li> <li>WEIGHT</li> <li>1,500g</li> </ul> | <ul> <li>Through-flow, full-helmet ventilation</li> <li>ProClip quick release chin strap allows you to fasten the chin strap in seconds</li> <li>Removable breath box</li> </ul> |

### TRAIL GOGGLE

Clear Vision at a Great Value

#### FEATURES

Offers a distortion-free view with anti-scratch, anti-fog and UV-blocking technology

• Large lens opening enables greater peripheral vision

ORANGE 2868668





OUTERWEAR & PROTECTION

# CAMO & GIFTS



BLACK/WHITE XS-2XL 2861560

CE



WHITE/RED XS-2XL 2861561



PINK XS-2XL 2861562

Tool-less adjustable roost shield
Removable, washable liner
DOT- and ECE 22.05-approved



BLACK 2867917

# OUTERWEAR



Versatile, lightweight jacket ideal for layering or wearing as a casual jacket.

MEN'S | S-3XL | 2861432



**NIEW** WINDBREAKER JACKET

Lightweight, windproof jacket that provides protection while riding.

• 100% polyester windproof fabric · 3 external pockets allow for maximum storage

WORK JACKET

FOREST GREEN

S-3XL | 2860862

S-3XL | 2861541

WINDBREAKER

JACKET



#### SOFTSHELL JACKET

# Lightweight performance that's surprisingly warm and perfect for everyday wear

- DWR prevents precipitation from saturating the jacket's exterior
- Three external and one internal pocket
- Lined with 280 grams of soft fleece for warmth
- Removable hood and underarm venting



#### TECH QUARTER ZIP

Excellent for ride layering, comfortable and stylish stand-alone.

WOMEN'S

MEN'S





BLACK S-3XL | 2861447

BLUE BLACK S-3XL | 2861443 S-3XL | 2861442



FLANNEL JACKET BRONZE S-3XL | 2860864

FORCE

JACKET



This stylish flannel jacket is designed to keep you riding on brisk days. Soft yet durable brushed flannel with a Sherpa fleece lining offers excellent insulation without the bulkiness of a winter jacket.

# WORK JACKET This warm and rugged jacket was engineered to be tough enough for work yet stylish enough for play.

#### External features:

- $\cdot\,$  Constructed of Nylon 6, a durable, tear-resistant
- non-stretch woven fabric
- Coated with Durable Water Repellency (DWR) to
- provide water-resistance in the elements
- Four external pockets for maximum gear storage

#### Internal features:

- 80 gram 3M Thinsulate for added warmth
- Built in action back for increased range of motion
- Internal zipper pocket • Brushed flannel trim

GRAY S-3XL | 2861608 S-3XL | 2860863

# BLACK




NEW



# CHARCOAL

BLACK S-3XL | 2861434





LIFESTYLE & CAPS

CAMO & GIFTS

51



GRAY BLACK/BLUE S-3XL | 2861435 S-3XL | 2861436 MEN'S

#### NORTHSTAR MID LAYER

Breathable fleece mid-layer is perfect for adding warmth or as a stand-alone shirt.



BLACK/RED S-3XL | 2861445

LIFESTYLE

MEN'S ICON HOODIE S-3XL BLACK | 2861496 **GREEN** | 2861495



GRAY | 2861508 MAROON | 2861509

# HATS & T-SHIRTS



POLARIS **GENERAL HAT** GRAY S/M | 2868748 GRAY L/XL | 2868749

POLARIS GENERAL TEE S-3XL GRAY | 2868767





NEW WOMEN'S ICON HOODIE S-3XL MAROON | 2861507 BLACK/PINK | 2861506



NEW MEN'S TECH HOODIE S-3XL BLACK/BLUE | 2861494 GRAY | 2861493



WOMEN'S CHECKERED HOODIE S-3XL BLACK | 2861609 BLUE | 2861610



NEW WOMEN'S ALL-IN TEE S-3XL BLACK | 2861598 OLIVE | 2861599







NEW BADGE TRUCKER HAT One-Size GRAY | 2861531 NAVY | 2861532 BLACK | 2861533 **PINK** | 2861549 MAROON | 2861537

NEW TONAL HAT L/XL BLACK | 2861526 NAVY | 2861525 APPAREL & HELMETS

CAMO & GIFTS

NEW CORE HAT One-Size NAVY | 2861523 BLACK | 2861524

POLARIS

#### NEW CHECKERED HAT One-Size NAVY | 2861520 GRAY | 2861521 BLACK | 2861522

ILARIS









NEW STEALTH CAMO HAT One-Size CAMO | 2861527

### **GIFTS & BRANDED MERCHANDISE**

POLARIS STEEL SIGN (26.7 cm x 61 cm) 2860868

PINT GLASS (SET OF 2) 2860815

# DRINKWARE





PREMIUM COOZIE 2860829

NEW 17oz WATER BOTTLE 2861611

# **RECREATION/GARAGE**



EVENT FOLDING CHAIR

2861617



NEW FOLDING TABLE 2861620

# **COLLECTIBLES**









LEATHER KEYCHAIN 2861616

NORTHSTAR MID LAYER S-3XL CAMO | 2861542



CAMO POLY HOODIE S-3XL BLACK | 2860718



MEN'S CAMO TEE S-3XL GRAY | 2860709 BLACK | 2860710



HUNTER CAMO HOODIE S-3XL OLIVE | 2868716 GRAY | 2860728



CAMO SOFTSHELL JACKET

S-3XL

CAMO | 2861543

CAMO FULL ZIP S-3XL OLIVE | 2869590



CAMO HOODIE S-3XL WOMEN'S | 2867898 MEN'S | 2867879



CAMO TRUCKER HAT One-Size BLACK | 2860613 PINK | 2860614





NEW 12oz CAMPER MUG 2861612



NEW 15oz CAMPFIRE MUG 2861613



POLARIS WOOD SIGN (26.7 cm x 61 cm) 2860866



NEW NECK GAITERS One-Size CAMO | 2861948 BLACK | 2861953





BOTTLE OPENER 2860818

55

CAMO & GIFTS

# FIND YOUR NEXT ADVENTURE

clothing and footwear Read, understand and follow your owner training course. Call 600-342-3764 (or additional information. UNLESS NOTEO, TRADE MARKS ARE THE PROPERTY OF POLARIS IN App Store" is a registered trademark of Apple Inc. Batterymin registered frademark of Camoplast Solideal Inc. CAMSOP is a r

to be is a registered trademark of Notes is a registered trademark of Artic Investments S.A. Can Arm<sup>®</sup> and COMMANDER<sup>®</sup> are registered trademark of Bombard Inc. Concorde<sup>®</sup> is a registered trademark of Bombard

SENERAL



# ADVENTURE ADVENTURE



